Plant and Soil **180**: 325–328, 1996.

Contents Volume 180 (1996)

Effects of inorganic nitrogen application on the dynamics of the soil solution composition in the root zone of maize 1–9
J. Yanai, D.J. Linehan, D. Robinson, I.M. Young, C.A. Hackett, K. Kyuma, T. Kosaki

Arsenic supply characteristics of four cotton-producing soils 11–17
M.S. Cox, P.F. Bell, J.L. Kovar

The influence of chlosulfuron and metsulfuron methyl on root growth and on the ultrastructure of root tips of germinating maize seeds 19–28
A. Flaburiari, U. Kristen

Soil productivity management and plant growth in the Sahel: Potential of an aerial monitoring technique 29–38
A. Buerkert, F. Mahler, H. Marschner

Characterization of rhizobia nodulating *Lotus subbiflorus* from Uruquayan soils 39–47
P. Irisarri, F. Milnitsky, J. Monza, E.J. Bedmar

Pulse-labelling a cover crop with ^{13}C to follow its decomposition in soil under field conditions 49–55
R.B. Thompson

Critical evaluation of organic acid mediated iron dissolution in the rhizosphere and its potential role in root iron uptake 57–66
D.L. Jones, P.R. Darrah, L.V. Kochian

Mechanism of crust formation on a soil in central Iran 67–73
M.K. Eghbal, M.A. Hajabbasi, H.T. Golsefidi

Foliar and root absorption of Na^+ and Cl^- in maize and barley: Implications for salt tolerance screening and the use of saline sprinkler irrigation 75–86
S.E. Benes, R. Aragüés, S.R. Grattan, R.B. Austin

Brief pre-and post-irrigation sprinkling with freshwater reduces foliar salt uptake in maize and barley sprinkler irrigated with saline water 87–95
S.E. Benes, R. Aragüés, R.B. Austin, S.R. Grattan

Determination of low boron concentrations in nutrient solution 97–99
V.J. Chapman, G.L. Kerven, D.G. Edwards, C.J. Asher, F.P.C. Blamey

Carbon fluxes in the rhizosphere of sweet chestnut seedlings (*Castanea sativa*) grown under two atmospheric CO_2 concentration: ^{14}C partitioning after pulse labelling 101–111
H. Rouhier, G. Billès, L. Billès, P. Bottner

The efficiency of copper use by 5A/5RL wheat-rye translocation lines and wheat (*Triticum aestivum* L.) cultivars 113–120
J.O. Owuoche, K.G. Briggs, G.J. Taylor

Microbial activity and enzymic decomposition processes following peatland water table drawdown 121–127
C. Freeman, G. Liska, N.J. Ostle, M.A. Lock, B. Reynolds, J. Hudson

Influence of wheel traffic and tillage on microbial biomass, residue decomposition and extractable nutrients in a Coastal Plain Soil 129–137
J.A. Entry, D. Wayne Reeves, C.B. Backman, R.L. Raper

Influence of compaction from wheel traffic and tillage on arbuscular mycorrhizae infection and nutrient uptake by *Zea mays* 139–146
J.A. Entry, D. Wayne Reeves, E. Mudd, W.J. Lee, E. Guertal, R.L. Raper

Spatial distribution of ectomycorrhizal mats in coniferous forests of the Pacific Northwest, USA 147–158
R.P. Griffiths, G.A. Bradshaw, B. Marks, G.W. Lienkaemper

Induction of peroxidase by Fe^{2+} in detached rice leaves 159–163
X-x. Peng, X-l. Yu, M-q. Li, M. Yamauchi

Zinc deficiency as a critical problem in wheat production in Central Anatolia 165–172
I. Cakmak, A. Yilmaz, M. Kalayci, H. Ekiz, B. Torun, B. Erenoğlu, H.J. Braun

Dry matter production and distribution of zinc in bread and durum wheat genotypes differing in zinc efficiency 173–181
I. Cakmak, N. Sari, H. Marschner, M. Kalayci, A. Yilmaz, S. Eker, K.Y. Gülüt

Phytosiderophore release in bread and durum wheat genotypes differing in zinc efficiency 183–189
I. Cakmak, N. Sari, H. Marschner, H. Ekiz, M. Kalayci, A. Yilmaz, H.J. Braun

***sym* 18: A novel gene conditioning altered strain specificity in *Pisum sativum* cv. 'Sparkle'** 191–195
T.A. LaRue, S. Temnykh, N.F. Weeden

Exchange of NO and NO_2 between wheat canopy monoliths and the atmosphere 197–208
P. Weber, H. Rennenberg

Soil properties and crop performance on a kaolinitic Alfisol after 15 years of fallow and continuous cultivation 209–217
A.S.R. Juo, K. Franzluebbers, A. Dabiri, B. Ikhile

Pedogenesis in coastal wet dune slacks after sod-cutting in relation to revegetation 219–230
W.H.O. Ernst, Q.L. Slings, H.J.M. Nelissen

Convective-diffusive model of two-dimensional root growth and proliferation 231–240
B. Acock, Ya.A. Pachepsky

Influence of arbuscular mycorrhizae on heavy metal (Zn and Pb) uptake and growth of *Lygeum spartum* and *Anthyllis cytisoides* 241–249
G. Díaz, C. Azcón-Aguilar, M. Honrubia

Agronomical and physiological characterization of salinity tolerance in a commercial tomato hybrid 251–257
F. Pérez-Alfocea, M.E. Balibrea, A. Santa Cruz, M.T. Estañ

Soil fumigation and phosphorus supply affect the formation of *Pisolithus* - *Eucalyptus urophylla* ectomycorrhizas in two acid Philippine soils 259–266
N.S. Aggangan, B. Dell, N. Malajczuk, R.E. de la Cruz

Effect of soil cadmium application and pH on growth and cadmium accumulation in roots, leaves and fruit of strawberry plants (*Fragaria* × *ananassa* Duch.) 267–276
G. Cieśliński, G.H. Neilsen, E.J. Hogue

Dynamics of viable nitrifier community and nutrient availability in dry tropical forest habitat as affected by cultivation and soil texture 277–285
P.B. Jha, J.S. Singh, A.K. Kashyap

Inhibition of N_2 fixation by white clover (*Trifolium repens* L.) at low concentrations of NO_3 in flowing solution culture 287–295
J.H. Macduff, S.C. Jarvis, I.A. Davidson

Effect of field limestone applications on cadmium content of sunflower (*Helianthus annuus* L.) leaves and kernels 297–302
Y.-M. Li, R.L. Chaney, A.A. Schneiter, B.L. Johnson

Determination of K forms in K-fertilized soils by electro-ultrafiltration 303–310
B. Rubio, F. Gil-Sotres

Multi-dimensional sensitivity analysis and ecological implications of a nutrient uptake model 311–324
M. Williams, R. Yanai

Volume contents 180 (1996) 325–327

Author index 328

Instructions to authors 329–331